

AMSOIL

PRODUCT NUMERICAL LISTING

Part Number	Design Illustration	Principal Application	Style*	Element Dimensions			Gasket Dimensions			
				Height	O.D.	I.D.	Number	O.D.	I.D.	Thk.
EAA04	A-48	GM Cars & Trucks (92-05)	AP	1.660	6.050	11.563				
EAA08	A-48	Various GM Vehicles (88-07)	AP	1.620	7.950	10.680				
EAA22	A-1	GM Vehicles (81-95), Nissan Pickups (86-89)	A	2.826	9.718	8.187				
EAA23	A-1	AMC (71-78), Chrysler Family of Cars (57-89), Dodge Light Trucks + Vans (71-03), Jeep w/V-8 Eng. (71-91)	A	2.737	10.000	7.540				
EAA24	A-48	Ford Family of Trucks (87-98)	AP	1.713	5.856	12.864				
EAA25	A-1	GM Family of Cars and Trucks w/Diesel Eng.(78-85)	A	4.056	13.875	11.625				
EAA29	A-48	Chrysler/Jeep Vehicles (87-06), Chev Camaro Super Sport (96-97)	AP	1.625	6.679	13.570				
EAA31	A-1	GM Family of Cars and Trucks (68-97)	A	3.489	12.000	9.828				
EAA32	A-1	GM Family of Cars and Trucks (69-96)	A	3.545	9.718	8.187				
EAA47	A-48	Chrysler Cars + Trucks (81-97)	AP	1.610	5.265	8.075				
EAA49	A-48	Ford/Lincoln/Mercury (85-07)	AP	1.835	7.568	11.269				
EAA51	A-1	Chevrolet/GMC Trucks, Vans (80-91)	A	5.437	12.000	9.828				
EAA52	A-1	GM Family of Cars (68-85)	A	3.040	13.875	11.625				
EAA74	A-48	Infiniti (90-07), Nissan (81-07), Saab 9-2X (05-07), Subaru (90-07)	AP	1.380	6.610	11.070				
EAA81	A-48	Audi/VW (76-92), Chrysler Family of Cars and Trucks (84-01)	AP	1.638	5.250	10.750				
EAA82	A-48	Ford Cars & Trucks (85-96)	AP	1.594	5.285	10.808				
EAA83	A-48	GM Cars & Trucks (98-06)	AP	1.650	7.938	15.970				
EAA86	A-48	Chev. Cavalier, Pontiac Sunbird (99-05)	AP	1.800	6.100	7.750				
EAA87	A-48	GM Family of Cars (86-01)	AP	1.623	6.060	7.625				
EAA88	A-48	Ford Cars/Trucks (86-00), Mazda Trucks (91-95)	AP	1.200	6.170	11.220				
EAA101	A-48	GM Cars & Trucks (94-07)	AP	1.700	7.125	9.365				
EAA103	A-92	Ford Trucks w/7.3L Diesel (94-98)	AW	6.037	T-13.997 B-7.147	T-9.666 B-2.816				
EAA104	A-48	Jeep Grand Cherokee (93-04), Nissan Pathfinder, Titan, Xterra, Infiniti QX56 (04-06)	AP	1.455	9.607	11.355				
EAA106	A-190	Dodge Trucks w/L6 5.9L Diesel Eng. (96-02)	AP	2.749	10.750	11.825				
EAA111	A-112	Chevy, GMC Pickups (Standard)(96-02)	RSOA	11.122	6.488	T-CLOSED B-3.580				
EAA112	A-112	Chevy, GMC Pickups (Heavy Duty)(96-02)	RSOA	11.122	7.240	T-CLOSED B-3.580				
EAA118	A-48	Ford Pickup w/7.3L Diesel (99-00)	AP	2.360	7.040	13.380				
EAA122	A-48	Ford Cars & Trucks (97-07), Mazda Trucks (99-07)	AP	2.295	7.575	8.791				
EAA123	A-48	Chev/GMC Trucks w/ 6.6L Duramax Diesel (99-07)	AP	2.375	9.750	12.250				
EAA124	A-48	Ford Family of Cars (96-99)	AP	1.574	7.106	10.016				
EAA126	A-48	Ford Vans w/7.3L Turbo Diesel (95-03)	AP	1.630	6.565	11.275				
EAA127	A-48	Chrysler Family of Cars (98-04)	AP	1.499	7.030	9.518				
EAA128	A-48	GM Family of Cars (97-05)	AP	1.650	7.640	12.783				
EAA129	A-48	Ford Family of Cars (86-95)	AP	1.585	8.918	11.281				
EAA170	A-48	Dodge Caravan, Town & Country (01-07)	AP	1.674	8.444	9.330				
EAA176	A-48	Dodge Ram Series Pickup (02-06)	AP	1.884	9.400	13.780				
EAA189	A-48	Dodge Ram P/U w/ 5.9L Turbo Diesel (03-07)	AP	1.990	10.000	10.750				
EAA191	A-124	Ford Cars & Trucks (95-07)	A	7.811	T-5.133 B-8.134	T-CLOSED B-4.260				
EAA200	A-197	Ford/Lincoln Trks + SUVs w/ 5.4L Engine (04-07)	AP	1.413	8.500	11.300				
EAA201	A-48	Various Jeep Models (02-07)	AP	1.60	8.28	11.450				
EAA202	A-48	Ford Taurus, Mercury Sable (00-06)	AP	2.334	7.105	10.016				
EAA203	A-112	Chev & GMC Vans (01-07)	RSOA	13.125	5.400	T-CLOSED B-3.320				
EAA204	A-112	Various GM SUVs (02-07), Isuzu Ascender (03-07), Saab 9-7X (06-07)	RSOA	8.000	5.980	T-CLOSED B-3.325				
EAA205	A-111	Lexus (92-04), Toyota (92-04)	AP	1.642	7.352	12.296				
EAA206	A-111	Mazda (92-95), Toyota (89-04), Isuzu (91-92)	AP	1.642	6.992	9.893				
EAA207	A-111	Geo Prizm (90-92), Lexus (90-91), Toyota (87-00)	AP	1.549	6.100	12.200				
EAA208	A-48	Audi (00-07), Volkswagen (98-07)	AP	1.969	7.283	14.409				
EAA289	A-124	Ford Mustang (94-04), Ford Contour V6 2.5L HO (98-00)	A	7.913	T-5.416 B-6.500	T-CLOSED B-3.232				

* A=Air Filter; AP=Air Filter Panel; AW=Air Filter with Wrap; RSOA=Radial Seal Outer Air
 † Housing gasket not packaged with filter – order separately.

TECHNICAL DATA

PRODUCT NUMERICAL LISTING

AMSOIL

Part Number	Design Illustration	Principal Application	Style*	Element Dimensions			Gasket Dimensions			
				Height	O.D.	I.D.	Number	O.D.	I.D.	Thk.
AAA416	A-124	Ford (95-99), Mazda Pickups (95-98)	A	7.898	T-5.040 B-6.866	T-CLOSED B-3.300				
AAA419	A-137	Ford Explorer w/V8 (96-99)	A	5.912	T-5.380 B-6.866	T-CLOSED B-3.260				
AAA484	A-48	Ford/Lincoln/Mercury SUV Models (02-07)	AP	2.330	7.125	11.500				
AAA524	A-48	Ford Focus (00-06)	AP	1.835	5.787	10.544				
AAA728	A-48	Ford F-Series PU w/7.3L Diesel (99-00)	AP	2.295	7.229	13.351				
EA009		GM (85-05), Daihatsu (88-92), Infiniti (91-96), Kawasaki Mules, Nissan (91-95), Toyota (80-07), Scion (04-07), Atlas-Copco, Briggs&Stratton, Cub Cadet, Generac, John Deere, Kubota, New Holland	SLUBE	2.977	2.685	¾-16	Attached	2.475	2.173	.233
EA010		GM Vehicles (99-05), Geo (89-92), Toyota (88-07), Various Ford-New Holland Tractors, Suzuki (96-07), Suzuki Marine Engines	SLUBE	3.402	2.685	¾-16	Attached	2.475	2.173	.233
EA011		Ford/Lincoln/Mercury (91-07), Mazda (00-07), Cadillac STS-V, XLR-V (06-07)	SLUBE	4.167	3.660	22X1.5 MM	Attached	2.834	2.462	.200
EA012		Ford (92-97), Honda (00-07), Infiniti/Nissan (95-07), Mazda (97-07), Mercury (91-96), Saab (05-06), Subaru (88-07), Cub Cadet, Yanmar, John Deere, Kawasaki, Kobelco, Outboard Marine Engines	SLUBE	2.577	2.685	20X1.5 MM	Attached	2.475	2.173	.233
EA013		Acura (02-07), Chrysler Imports (92-06), Ford Probe (93-97), Honda (01-07), Infiniti/Nissan (96-07), Mazda (71-00), Mercury Villager (99-00), Mitsubishi (90-06), Saturn (04-07), Outboard Marine Engines, Various HD Equip.	SLUBE	3.402	2.685	20X1.5 MM	Attached	2.475	2.173	.233
EA014		Ford Probe (89-97), Mazda Cars & Trucks (83-96), Kia Sportage (95-02)	SLUBE	3.402	2.685	20X1.5 MM	Attached	2.475	2.173	.233
EA015		Chrysler Family of Cars/Trucks (57-70), Ford Family of Cars/Trucks (57-00), Mazda Trucks (94-00), Toyota Landcruiser (71-96) - (Two Quart version is EAO26)	SLUBE	5.178	3.660	¾-16	Attached	2.834	2.462	.200
EA020		Acura (88-05), Chevrolet (85-88), Dodge (91-96), Ford (88-96), Honda (72-05), Hyundai (89-07), Isuzu (85-04), Kia (01-07), Mercury (87-91), Mitsubishi (89-98), Subaru (87-07), John Deere, Kobelco, Komatsu, Kubota, Onan, Toro & Yanmar Diesel	SLUBE	3.194	3.252	20X1.5 MM	Attached	2.475	2.173	.233
EA021		Chrysler (83-93), Eagle (89-93), Hyundai (86-89), Isuzu (81-85), Mahindra Tractors, Mazda (89-90), Mitsubishi (83-96), Renault (84-87)	SLUBE	3.141	3.660	20X1.5 MM	Attached	2.834	2.462	.200
EA022		GM Family of Cars (59-67)	SLUBE	5.178	3.660	1¾-16	15314	2.834	2.462	.175
EA023		GM Cars + Trucks (80-05), Mercruiser, Volvo-Penta	SLUBE	4.828	2.921	18X1.5 MM	Attached	2.734	2.430	.226
EA024		Chevrolet/GMC Trucks (91-05), Hummer (93-06)	SLUBE	5.178	3.660	1¾-16	Attached	3.444	3.100	.260
EA025		GM Family of Cars/Trucks (64-97)	SLUBE	4.338	3.660	1¾-16	Attached	3.444	3.1	.26
EA026		Ford Trucks, Massey-Ferguson Tractors, Oliver Tractors, VW Eurovan (93-95)	SLUBE	6.982	3.663	¾-16	Attached	2.834	2.462	.2
EA027		Chevrolet and GMC Trucks (63-90)	SLUBE	5.178	3.660	1¾-16	Attached	3.444	3.1	.26
EA029		Daewoo (99-02), GM Cars/Trucks (76-07), Saab (94-98)	SLUBE	3.404	2.921	18X1.5 MM	Attached	2.734	2.430	.226
EA030		GM Family of Cars V-8 (77-92)	SLUBE	4.828	2.921	1¾-16	Attached	2.73	2.43	.19
EA031		AMC (60-81), GM (67-80)	SLUBE	4.338	3.660	1¾-16	15314	2.834	2.462	.200
EA032		GM Cars & Trucks (75-76) (96-07)	SLUBE	3.404	2.921	1¾-16	Attached	2.734	2.430	.226
EA033		Harley-Davidson Motorcycles, Ford, Mazda (03-07)	SLUBE	3.404	2.921	¾-16	Attached	2.734	2.430	.226
EA034		Ford/Mercury (81-07), Chrysler/Jeep (02-07), Mazda Trucks (94-07)	SLUBE	4.828	2.921	¾-16	Attached	2.734	2.430	.226
EA035		Ford (98-04), Mazda (01-04)	SLUBE	4.704	2.983	¾-16	Attached	2.750	2.400	.130
EA036		Ford Courier (72-82), Pinto (75-79)	SLUBE	4.828	2.921	20X1.5 MM	Attached	2.734	2.43	.226
EA037		Audi (71-06), Volkswagen (96-05), Lotus (71-74)	SLUBE	4.820	3.020	¾-16	Attached	2.800	2.450	.230
EA038		Infiniti (91-97), Nissan (88-99), Mercury Villager (93-98), Subaru (88-94)	SLUBE	4.067	2.960	¾-16	Attached	2.734	2.430	.226
EA039		Audi (95-06), Volkswagen (77-00, 05), Case, Fendt Tractors, Komatsu, M.A.N., Renault Trks.	SLUBE	5.178	3.660	¾-16	Attached	2.834	2.462	.200
EA040		Alfa-Romeo (86-93), Nissan Cars (67-89), Porsche (70-76), VW (71-83)	SLUBE	3.790	3.660	¾-16	Attached	2.834	2.462	.200
EA041		Volvo (92-99), Kubota, New Holland, Volvo Trks + Buses, Mahindra Tractors	SLUBE	3.372	3.661	¾-16	Attached	2.834	2.462	.200
EA042		Chrysler/Dodge/Jeep Vehicles (91-06), Mitsubishi Eclipse (95-99); Caterpillar 3 Series Excavators, 9 Series Loaders	SLUBE	3.790	3.660	¾-16	Attached	2.834	2.462	.200

* A=Air Filter; AP=Air Filter Panel; SLUBE=Spin-On Lube Filter
 † Housing gasket not packaged with filter – order separately.

AMSOIL

PRODUCT NUMERICAL LISTING

Part Number	Design Illustration	Principal Application	Style*	Element Dimensions			Gasket Dimensions			
				Height	O.D.	I.D.	Number	O.D.	I.D.	Thk.
EA043		Volvo (64-92), Ford Mustang (74-78), Various HD Applications	SLUBE	3.812	3.663	¾-16	Attached	2.834	2.462	.200
EA044		Dodge Monaco (91), Eagle (88-92), Jeep (87-93)	SLUBE	3.812	3.663	20X1.5 MM	Attached	2.834	2.462	.200
EA045		Audi, VW (00-06)	SLUBE	4.475	3.745	¾-16	Attached	2.775	2.450	.185
EA046		Chrysler Sebring (01-05), Dodge Stratus (01-05), Mitsubishi (99-07)	SLUBE	2.944	3.243	20X1.5 MM	Attached	2.475	2.173	.233
EA047		Various GM Vehicles (07), Corvette (06-07)	SLUBE	3.430	2.970	22X1.5 MM	Attached	2.75	2.41	.27
EA052		Master Pack version of EAO52 - 12 per carton	SLUBE	5.216	3.690	1 ⁹ / ₁₆ -16	Attached Attached	3.55 3.550	3.16 3.160	.18 .180
EA057		Various Chrysler/Jeep (82-07), Various GM, Saturn (85-07), Lexus (90-07), Saab (67-07), Suzuki (86-02), Toyota (88-07), Yugo (86-89), Harley-Davidson	SLUBE	3.404	2.921	¾-16	Attached	2.734	2.430	.226
EA058		BMW (65-91), Lancia (76-77) and M.G. (75-80), Various HD Equipment	SLUBE	3.529	2.966	¾-16	Attached	2.740	2.370	.275
EA059		Chev/GMC Trks + Vans w/ 7.4L, 8.1L (99-07)	SLUBE	3.306	3.660	1 ⁹ / ₁₆ -16	Attached	3.444	3.100	.260
EA064		AMC (82-86), GM, Saturn (93-07), Jeep (81-86), Isuzu (03-07), Saab (06-07)	SLUBE	4.526	2.921	1 ⁹ / ₁₆ -16	Attached	2.734	2.430	.226
EA076		Chevrolet and GMC Trucks (73-93)	SLUBE	7.822	3.674	1 ⁹ / ₁₆ -16	15267	3.444	3.100	.260
EA080		Dodge Pickups w/ 5.9L Cummins Diesel, "B" Series Eng. (03-07)	SLUBE	6.945	3.681	1-16	Attached	2.835	2.461	.170
EA088		Ford Trucks + Vans w/ 6.0L Diesel Engine (03-07), IHC VT365 Diesel Engine, IHC School Buses	CLMF	7.100	3.270	T-.365 B-1.462	Packed	3.970	3.700	.135
EA096		Agco Tractors, Chrysler (70-91), Ford/Mercury (83-97), Kubota Engines, Land Rover (95-04), Toyota (68-90)	SLUBE	4.338	3.660	¾-16	Attached	2.834	2.462	.200
EA099		Ford/IHC Trucks w/7.3L Turbo Diesel (94-03)	SLUBE	8.093	4.282	1 ½-16	Attached	3.967	3.587	.340
FFK60		Ford Super Duty Pickup, Excursion w/ 6.0L Diesel (03-07) - contains 2 different size elements	CFMF	4.240	3.335	T-CLOSED B-1.570	Packed Packed	3.92 2.83	3.63 2.65	.145 .09
P550430		Dodge Trucks w/ 5.9L Diesel (00-07), Various Trks w/ Cummins B + C Series Engines	CFMF	4.070	T-3.390 B-3.230	T-CLOSED B-.820	Packed	4.190	3.984	.103
P550743		Chevy-GMC Trucks w/ 6.6L Duramax Diesel (01-07)	SOFW	6.300	4.020	3 ½-16	Packed Packed	3.755 1.63	3.475 1.3	.14 .165
P603577	A-187	Ford Super Duty F Series Pickup, Excursion w/ 6.0L Diesel Eng. (03-07)	PCA	10.730	T-13.125 B-7.875	T-10.500 B-6.25				
P611720	A-187	Chev/GMC Savana, Express Van w/ 6.6L Diesel (06-07)	PCA	6.307	T-10.999 B-5.944	T-9.750 B-4.75				
PCFH2	A-187	Hummer H2 (03-07)	A	7.230	T-11.050 B-6.400	T-9.750 B-4.750				

TECHNICAL DATA

* A=Air Filter; CFMF=Cartridge Fuel Metal Free Filter; CLMF=Cartridge Lube Metal Free Filter; SLUBE=Spin-On Lube Filter; SOFW=Spin-On Fuel/Water Separator Filter; PCA=PowerCore Air Filter
 † Housing gasket not packaged with filter – order separately.